

# openSUSE

## How to repair a broken/unmountable btrfs filesystem

## How to repair a broken/unmountable btrfs filesystem

The below are the recommended steps for any major btrfs filesystem issue, especially if its unmountable. Reading dmesg or syslog might help you identify which step you could skip to in order to fix a particular problem, but the initial steps are normally useful regardless as btrfs scrub is a very safe repair tool.

- Boot to a suitable alternative system, such as a rescue shell, different installation of openSUSE, a liveCD, or an openSUSE installation DVD. The installation DVD for the version of openSUSE you are running is usually a good choice as it will certainly use the same kernel/btrfs version. A recent Tumbleweed disk might be better as it will include newer kernel/btrfs
- Go to a suitable console and make sure you do the below as root
- Try to mount your partition to /mnt, just to confirm it's really broken

```
mount /dev/sda1 /mnt
```

- If it mounts - are you sure it's broken? if Yes - run

```
btrfs scrub start /mnt
```

to scrub the system, and

```
btrfs scrub status /mnt
```

to monitor it

- If it doesn't mount, try to scrub the device just in case it works

```
btrfs scrub start /dev/sda1
```

and

```
btrfs scrub status /dev/sda1
```

to monitor. Once complete, try mounting, if yes, you're fixed.

- If scrubbing is not an option or does not resolve the issue

then instead try mount -o usebackuproot

```
mount -o usebackuproot /dev/sda1 /mnt
```

# openSUSE

Warning All of the above steps are considered safe and should make no destructive changes to disk. If the above doesn't fix things for you, you can continue with the below steps but the situation is serious enough to justify a bug report, please!

- Run "btrfs check <device>"

```
btrfs check /dev/sda1
```

This isn't going to help, but save the log somewhere, it will be useful for the bug report.

- Seriously consider running "btrfs restore <device> <somewhereto copy data>"

```
btrfs restore /dev/sda1 /mnt/usbdrive
```

This won't fix anything but it will scan the filesystem and recover everything it can to the mounted device. This especially useful if your btrfs issues are actually caused by failing hardware and not btrfs fault.

- Run "btrfs rescue super-recover <device>"

```
btrfs rescue super-recover /dev/sda1
```

Then try to mount the device normally. If it works, stop going.

- Run "btrfs rescue zero-log <device>"

```
btrfs rescue zero-log /dev/sda1
```

Then try to mount the device normally. If it works, stop going.

- Run "btrfs rescue chunk-recover <device>"

```
btrfs rescue chunk-recover /dev/sda1"
```

This will take a LONG while. Then try to mount the device normally. If it works, stop going.

- If you didn't run it earlier, be sure to now run "btrfs restore <device> <somewhere to copy data>"

```
btrfs restore /dev/sda1 /mnt/usbdrive
```

Seite 2 / 3

© 2026 Eric Schirra <webmaster@schirra.net> | 2026-06-18 01:50

URL: [https://faq.schirra.net/phpMyFAQ/content/3/83/de/how-to-repair-a-broken\\_unmountable-btrfs-filesystem.html](https://faq.schirra.net/phpMyFAQ/content/3/83/de/how-to-repair-a-broken_unmountable-btrfs-filesystem.html)

# openSUSE

- Failure to use btrfs restore at this point but continuing to attempt repairs means you are at a very high risk of data loss. It is advisable to use btrfs restore to recover as much data as possible before continuing.

Warning The above tools had a small chance of making unwelcome changes. Below this point there is a higher risk of damage. Do not continue unless you're prepared to accept the consequences of your choice.

- Now, ONLY NOW, try btrfsck aka "btrfs check --repair <device>"

```
btrfs check --repair /dev/sda1
```

Quelle: [How to repair a broken/unmountable btrfs filesystem](#)

Eindeutige ID: #1083

Verfasser: n/a

Letzte Änderung: 2018-06-11 18:33