

## Quilt - a really quick howto

As i regularly look it up from my mailbox. lets post it here.

```
osc co yourproject/yourpackage
cd yourproject/yourpackage
quilt setup -v *spec
cd yourpackage-*/
quilt push -a # apply old patches
quilt new yourpackage-version_fixbuild.patch
quilt edit src/foo.c
quilt refresh
```

foo-fixbuild.patch will automatically be created in the parent dir.  
if you work on a package which doesnt have a patch yet. you have to remember to copy the patch from the patch directory to your package directory.

normally i rerun quilt setup once i got an initial patch.  
there is also quilt pop so you can remove patches from your working copy. but the docs have a lot more informations about this.

My .quiltrc file:

```
# Options passed to GNU diff when generating patches
QUILT_DIFF_OPTS="--show-c-function"
# QUILT_DIFF_OPTS=""
# Options passed to GNU patch when applying patches
#QUILT_PATCH_OPTS="--ignore-whitespace --unified-reject"

# Options to pass to commands (QUILT_${COMMAND}_ARGS)
QUILT_PUSH_ARGS="--color=auto"
QUILT_DIFF_ARGS="--color=auto"
QUILT_REFRESH_ARGS="--backup -p0"
QUILT_PATCH_OPTS="--unified-reject-files --backup"
```

For all further please consult the really detailed documentation.

Mehr Informationen unter: <http://nordisch.org/>

Eindeutige ID: #1033

Verfasser: Eric Schirra

Letzte Änderung: 2015-02-28 10:03